

Preventive Services: Screening for STIs/HIBC to Prevent STIs and Screening for the HIV/HCV

6/22/2021



Today's Presenters

- Arlene Dunphy, CPC
 - Provider Outreach and Education Consultant
- Michele Poulos
 - Provider Outreach and Education Consultant

Disclaimer

National Government Services, Inc. has produced this material as an informational reference for providers furnishing services in our contract jurisdiction. National Government Services employees, agents, and staff make no representation, warranty, or guarantee that this compilation of Medicare information is error-free and will bear no responsibility or liability for the results or consequences of the use of this material. Although every reasonable effort has been made to assure the accuracy of the information within these pages at the time of publication, the Medicare Program is constantly changing, and it is the responsibility of each provider to remain abreast of the Medicare Program requirements. Any regulations, policies and/or guidelines cited in this publication are subject to change without further notice. Current Medicare regulations can be found on the [CMS website](#).

No Recording

- Attendees/providers are **never** permitted to record (tape record or **any** other method) our educational events
 - This applies to our webinars, teleconferences, live events and any other type of National Government Services educational events

Objectives

- After this session, attendees will be able to
 - Discuss Medicare coverage guidelines for STIs, hepatitis B, hepatitis C and HIV screenings as well as HIBC to prevent STIs
 - Properly bill Medicare for covered preventive services
 - Know where to find more information on these topics

Agenda

- Screening for STIs
- HIBC to Prevent STIs
- Hepatitis B Virus Screening
- HIV Screening
- Hepatitis C Screening
- References and Resources

Screening for Sexually Transmitted Infections

Coverage

- Sexually active adolescents and adults at increased risk for STIs
- Must be
 - ordered by a primary care practitioner
 - performed by a Medicare-eligible primary care provider in a primary care setting

Allowable Provider Specialties

01 General practice	38 Geriatric Medicine
08 Family practice	42 Certified nurse midwife
11 Internal medicine	50 Nurse practitioner
16 Obstetrics/gynecology	89 Certified clinical nurse specialist
37 Pediatric medicine	97 Physician assistant

National Coverage Indications Chlamydia and Gonorrhea

- Pregnant women 24 years old or younger
 - Initial screening when pregnancy is confirmed
 - Repeated during the third trimester if high-risk sexual behavior has occurred
- Pregnant women who are at an increased risk
 - Initial screening when pregnancy is confirmed
 - Repeated during the third trimester if high-risk sexual behavior has occurred
- Women at increased risk
 - Annually

National Coverage Indications Screening for Syphilis

- Pregnant women
 - Initial screening when a pregnancy diagnosis is known
 - Repeated during the third trimester if high-risk sexual behavior has occurred
 - At delivery if high-risk sexual behavior has occurred since the last screening
- Men and women at increased risk
 - Annually

High/Increased Risk Factors

- Multiple sex partners
- Using barrier protection inconsistently
- Having sex under influence of alcohol or drugs
- Having sex in exchange for money or drugs
- Age (24 years of age or younger and sexually active for women for chlamydia and gonorrhea)

High/Increased Risk Factors

- Having an STI within the past year
- Men having sex with men and engaged in high-risk sexual behavior (no age requirement)
- IV drug use (for hepatitis B only)
- Community social factors per United States Preventive Services Task Force (USPSTF) recommendations (chlamydia, gonorrhea and syphilis)

Billing: Procedure Codes

- Chlamydia
 - 86631, 86632, 87110, 87270, 87320, 87490, 87491, 87810
 - 87800 (combined chlamydia/gonorrhea test)
- Gonorrhea
 - 87590, 87591, 87850
- Syphilis
 - 86592, 86593, 86780

ICD-10-CM Codes

Screening for Chlamydia and Gonorrhea

- Pregnant women
 - High/increased risk
 - Requires a
 - Primary ICD-10-CM code
 - Secondary ICD-10-CM code
 - Tertiary ICD-10-CM code

ICD-10-CM Codes

Screening for Chlamydia and Gonorrhea

- ICD-10-CM Codes

Code	Position	Description
Z11.3	Primary	Encounter for screening for infections with a predominantly sexual mode of transmission
Z72.89	Secondary	Other problems related to lifestyle
Z72.51	Secondary	High risk heterosexual behavior
Z72.52	Secondary	High risk homosexual behavior
Z72.53	Secondary	High risk bisexual behavior

- And one of the following tertiary ICD-10-CM codes

ICD-10-CM Codes

Screening for Chlamydia and Gonorrhea

■ ICD-10-CM Codes

Code	Position	Description
Z34.00	Tertiary	Encounter for supervision of normal first pregnancy unspecified trimester
Z34.01	Tertiary	first trimester
Z34.02	Tertiary	second trimester
Z34.03	Tertiary	third trimester
Z34.80	Tertiary	Encounter for supervision of other normal pregnancy unspecified trimester
Z34.81	Tertiary	first trimester

ICD-10-CM Codes

Screening for Chlamydia and Gonorrhea

■ ICD-10-CM Codes

Code	Position	Description
Z34.82	Tertiary	second trimester
Z34.83	Tertiary	third trimester
Z34.90	Tertiary	Encounter for supervision of normal pregnancy, unspecified, unspecified trimester
Z34.91	Tertiary	first trimester
Z34.92	Tertiary	second trimester
Z34.93	Tertiary	third trimester

ICD-10-CM Codes

Screening for Chlamydia and Gonorrhea

- ICD-10-CM Codes

Code	Position	Description
O09.90	Tertiary	Supervision of high risk pregnancy, unspecified unspecified trimester
O09.91	Tertiary	first trimester
O09.92	Tertiary	second trimester
O09.93	Tertiary	third trimester

ICD-10-CM Codes

Screening for Chlamydia, Gonorrhea, Syphilis

- Nonpregnant women
 - High/increased risk
 - Requires a
 - Primary ICD-10-CM code
 - Secondary ICD-10-CM code

Screening for Chlamydia, Gonorrhea, Syphilis

■ ICD-10-CM Codes

Codes	Position	Description
Z11.3	Primary	Encounter for screening for infections with a predominantly sexual mode of transmission
Z72.89	Secondary	Other problems related to lifestyle
Z72.51	Secondary	High risk heterosexual behavior
Z72.52	Secondary	High risk homosexual behavior
Z72.53	Secondary	High risk bisexual behavior

ICD-10-CM Codes Screening for Syphilis

- In men
 - High/increased risk
 - Requires a
 - Primary ICD-10-CM
 - Secondary ICD-10-CM

Screening for Syphilis

■ ICD-10-CM Codes

Codes	Position	Description
Z11.3	Primary	Encounter for screening for infections with a predominantly sexual mode of transmission
Z72.89	Secondary	Other problems related to lifestyle
Z72.51	Secondary	High risk heterosexual behavior
Z72.52	Secondary	High risk homosexual behavior
Z72.53	Secondary	High risk bisexual behavior

ICD-10-CM Codes Screening for Syphilis

- Pregnant women
 - Requires a
 - Primary ICD-10-CM code
 - Secondary ICD-10-CM code

Screening for Syphilis

■ ICD-10-CM Codes

Codes	Position	Description
Z11.3	Primary	Encounter for supervision of normal first pregnancy, unspecified trimester
Z34.00	Secondary	Encounter for supervision of normal first pregnancy; unspecified trimester
Z34.01	Secondary	first trimester
Z34.02	Secondary	second trimester
Z34.03	Secondary	third trimester
Z34.80	Secondary	Encounter for supervision of other normal pregnancy, unspecified trimester
Z34.81	Secondary	first trimester

Screening for Syphilis

■ ICD-10-CM Codes

Codes	Position	Description
Z34.82	Secondary	second trimester
Z34.83	Secondary	third trimester
Z34.90	Secondary	Encounter for supervision of normal pregnancy, unspecified, unspecified trimester
Z34.91	Secondary	first trimester
Z34.92	Secondary	second trimester
Z34.93	Secondary	third trimester

Screening for Syphilis

- ICD-10-CM Codes

Code	Position	Description
O09.90	Secondary	Supervision of high risk pregnancy, unspecified, unspecified trimester
O09.91	Secondary	first trimester
O09.92	Secondary	second trimester
O09.93	Secondary	third trimester

ICD-10-CM Codes Screening for Syphilis

- Pregnant women
 - High/increased risk
 - Requires a
 - Primary ICD-10-CM code
 - Secondary ICD-10-CM code
 - Tertiary ICD-10-CM code

Screening for Syphilis

- ICD-10-CM Codes

Codes	Position	Description
Z11.3	Primary	Encounter for screening for infections with a predominantly sexual mode of transmission
Z72.89	Secondary	Other problems related to lifestyle
Z72.51	Secondary	High risk heterosexual behavior
Z72.52	Secondary	High risk homosexual behavior
Z72.53	Secondary	High risk bisexual behavior

- And one of the following tertiary ICD-10-CM codes

Screening for Syphilis

■ ICD-10-CM Codes

Codes	Position	Description
Z34.00	Tertiary	Encounter for supervision of normal first pregnancy; unspecified trimester
Z34.01	Tertiary	first trimester
Z34.02	Tertiary	second trimester
Z34.03	Tertiary	third trimester
Z34.80	Tertiary	Encounter for supervision of other normal pregnancy, unspecified trimester
Z34.81	Tertiary	first trimester

Screening for Syphilis

■ ICD-10-CM Codes

Codes	Position	Description
Z34.82	Tertiary	second trimester
Z34.83	Tertiary	third trimester
Z34.90	Tertiary	Encounter for supervision of normal pregnancy, unspecified, unspecified trimester
Z34.91	Tertiary	first trimester
Z34.92	Tertiary	second trimester
Z34.93	Tertiary	third trimester

Screening for Syphilis

- ICD-10-CM Codes

Code	Position	Description
O09.90	Tertiary	Supervision of high risk pregnancy, unspecified, unspecified trimester
O09.91	Tertiary	first trimester
O09.92	Tertiary	second trimester
O09.93	Tertiary	third trimester

Updated HBV Screening (MM9859)

- Covered beneficiaries include
 - Asymptomatic, nonpregnant adolescents and adults at **high risk**
 - Pregnant women

High/Increased Risk Factors for Asymptomatic, Nonpregnant Adolescents and Adults

- Persons born in countries and regions with a high prevalence
- US-born persons not vaccinated as infants whose parents were born in countries and regions with a high prevalence
- HIV positive persons
- Men who have sex with men
- IV drug use
- Household contact or sexual partners with HBV infections

National Coverage Indications Screening for Hepatitis B

- Asymptomatic, nonpregnant adolescents and adults at **high risk**
 - Initial screening for high risk persons
 - Annually for persons at continued high risk who have not received a hepatitis B vaccination
 - Men who have sex with men
 - Injection drug users
 - Household contacts or sexual partners with HBV infection

National Coverage Indications Screening for Hepatitis B

- Pregnant women
 - At the first prenatal visit
 - Regardless of previous hepatitis B vaccination or previous negative hepatitis B surface antigen test result
 - Rescreening at the time of delivery
 - With new or continuing risk factors

Billing: Procedure Codes

Code	Description
G0499	HBV screening for asymptomatic, nonpregnant adolescents and adults at high risk
86704	Hepatitis B core antibody (HBcAb); total
86706	Hepatitis B surface antibody (HBeAb)
87340	Hepatitis B surface antigen (HBsAg)
87341	Hepatitis B surface antigen (HBsAg) neutralization

Payable ICD-10-CM Codes for G0499

- Initial visit for asymptomatic, nonpregnant adolescents and adults at high risk
- Must report **both**

Code	Description
Z11.59	Encounter for screening for other viral disease
Z72.89	Other problems related to life style

Payable ICD-10-CM Codes for G0499

- **Subsequent visits** for continued high risk

Code	Position
Z11.59	Primary
F11.10, F11.11, F11.13	Secondary
F13.10, F13.11, F13.130, F13.131, F13.132	Secondary
F14.10, F14.11, F14.13, F14.93	Secondary
F15.10, F15.11, F15.13	Secondary
Z20.2	Secondary
Z20.5	Secondary
Z72.52	Secondary
Z72.53	Secondary

Payable ICD-10-CM Codes for 86704, 86706, 87340 and 87341

- For pregnant women

Code	Position	Description
Z11.59	Primary	Encounter for screening for other viral disease
Z34.00	Secondary	Encounter for supervision of normal first pregnancy, unspecified trimester
Z34.80	Secondary	Encounter for supervision of other normal pregnancy, unspecified trimester
Z34.90	Secondary	Encounter for supervision of normal pregnancy, unspecified, unspecified trimester
O09.90	Secondary	Supervision of high risk pregnancy, unspecified, unspecified trimester

Payable ICD-10-CM Codes for 86704, 86706, 87340 and 87341

- For pregnant women at high risk

Code	Position	Description
Z11.59	Primary	Encounter for screening for other viral disease
Z72.89	Secondary	Other problems related to lifestyle

- And one of the following tertiary ICD-10-CM codes

Payable ICD-10-CM Codes for 86704, 86706, 87340 and 87341

Code	Position	Description
Z34.00	Tertiary	Encounter for supervision of normal first pregnancy, unspecified trimester
Z34.01	Tertiary	Encounter for supervision of normal first pregnancy, first trimester
Z34.02	Tertiary	Encounter for supervision of normal first pregnancy, second trimester
Z34.03	Tertiary	Encounter for supervision of normal first pregnancy, third trimester
Z34.80	Tertiary	Encounter for supervision of other normal pregnancy, unspecified trimester
Z34.81	Tertiary	Encounter for supervision of other normal pregnancy, first trimester
Z34.82	Tertiary	Encounter for supervision of other normal pregnancy, second trimester
Z34.83	Tertiary	Encounter for supervision of other normal pregnancy, third trimester
Z34.90	Tertiary	Encounter for supervision of normal pregnancy, unspecified, unspecified trimester
Z34.91	Tertiary	Encounter for supervision of normal pregnancy, unspecified, first trimester
Z34.92	Tertiary	Encounter for supervision of normal pregnancy, unspecified, second trimester
Z34.93	Tertiary	Encounter for supervision of normal pregnancy, unspecified, third trimester
O09.90	Tertiary	Supervision of high risk pregnancy, unspecified, unspecified trimester
O09.91	Tertiary	Supervision of high risk pregnancy, unspecified, first trimester
O09.92	Tertiary	Supervision of high risk pregnancy, unspecified, second trimester
O09.93	Tertiary	Supervision of high risk pregnancy, unspecified, third trimester

Billing: Place of Service

- Covered only when billed in certain POS
 - 11 Physician office
 - 19 Off-campus outpatient hospital
 - 22 On-campus outpatient hospital
 - 49 Independent clinic
 - 71 State or local public health clinic
 - 81 Independent laboratory

Advance Beneficiary Notice of Noncoverage

- Mandatory ABN
 - Performed more frequently than allowed

Frequency

- One annual occurrence of screening for **chlamydia, gonorrhea** and **syphilis** in women at **increased risk** who are **not** pregnant
- One annual screening for **syphilis** in **men** at **increased risk**
- Up to two occurrences per pregnancy for **chlamydia, gonorrhea** in pregnant women at **increased risk** and continued **increased risk** for the second screening

Frequency

- One screening per pregnancy for **syphilis** in **pregnant** women
- Up to two additional occurrences per pregnancy for **syphilis** in **pregnant** women continuing to be at **increased risk**

Frequency

- One occurrence per pregnancy screening for **hepatitis B** in **pregnant** women
- Rescreening at the time of delivery with new or continued risk factors
- First prenatal visits in subsequent pregnancies
 - Regardless of previous HBV vaccination or previous negative hepatitis B surface antigen test results
- Annual screening for asymptomatic, **nonpregnant** adolescents and adults at high risk for **hepatitis B**

Cost-Sharing and Reimbursement

- Cost-sharing
 - Deductible waived
 - Coinsurance waived
- Reimbursement
 - [Clinical Laboratory Fee Schedule](#)
 - [Our Website](#) > Claims & Appeals > Fee Schedules Look up > National Fee Schedules > Clinical Laboratory Fee Schedule

Resources

- CMS Internet-Only Manuals
 - [Publication 100-03, Medicare National Coverage Determinations \(NCDs\) Manual, Chapter 1, Coverage Determinations, Part 4, Sections 200-310.1](#)
 - [Publication 100-04, Medicare Claims Processing Manual, Chapter 18, Preventive and Screening Services, Section 170](#)
- MLN Matters® [MM9859 Revised: Screening for Hepatitis B Virus \(HBV\) Infection](#)
- Hepatitis B Virus (HBV) Screening ([NCD 210.6](#))
- Screening for Sexually Transmitted Infections (STIs) & High Intensity Behavioral Counseling (HIBC) to Prevent STIs ([NCD 210.10](#))

High Intensity Behavioral Counseling to Prevent STIs

Coverage

- Two individual 20–30 minute face-to-face counseling sessions annually
- Covered for the following Medicare beneficiaries
 - All sexually active adolescents
 - Adults at increased risk for STIs
- Must be performed by a Medicare eligible primary care provider in a primary care setting

Allowable Provider Types

01	General practice	38	Geriatric medicine
08	Family practice	42	Certified nurse midwife
11	Internal medicine	50	Nurse practitioner
16	Obstetrics/gynecology	89	Certified clinical nurse specialist
37	Pediatric medicine	97	Physician assistant

High/Increased Risk Factors

- Multiple sex partners
- Using barrier protection inconsistently
- Having sex under influence of alcohol/drugs
- Having sex in exchange for money or drugs
- Age (24 years of age or younger and sexually active for women for chlamydia and gonorrhea)
- Having STI within past year
- IV drug use (for hepatitis B only)
- Men having sex with men and engaged in high-risk sexual behavior (all ages)
- Community social factors

Components and Documentation

- Components of HIBC
 - Education
 - Skills training
 - Guidance on how to change sexual behavior
- Documentation must clearly support diagnosis of high risk for STIs and must clearly reflect components of service

Billing: Procedure Code (HCPCS)

Code	Description
G0445	Semi-annual high-intensity behavioral counseling to prevent sexually transmitted infections, face-to-face, individual, includes: education, skills training and guidance on how to change sexual behavior, 30 minutes

Billing: ICD-10-CM Code

ICD-10-CM Code	Position	Description
Z72.89	Primary	Other problems related to lifestyle

Billing: Place of Service

- Coverage only when billed in certain POS
 - 11 Physician office
 - 19 Off-campus outpatient hospital
 - 22 On-campus outpatient hospital
 - 49 Independent clinic
 - 71 State or local public health clinic

Other Services

- Can be paid on same date of service as
 - AWW
 - E/M service
 - Must have significant and separately identifiable diagnosis code
 - Should not be billed when sole reason for visit is HIBC
 - During the global period for obstetrical care
- Only one HIBC may be provided on any one date of service

ABN

- Mandatory ABN
 - Performed more frequently than allowed

Cost-Sharing and Reimbursement

- Cost-sharing
 - Deductible waived
 - Coinsurance waived
- Reimbursement
 - Medicare Physician Fee Schedule
 - [Our Website](#) > Claims & Appeals> Fee Schedule Lookup
 - Nonparticipating provider reduction and limiting charge provisions apply

References

- CMS Internet-Only Manual
 - [Publication 100-04, Medicare Claims Processing Manual, Chapter 18, Section 170](#)
- MLN Matters® [MM7610 Revised: Screening for Sexually Transmitted Infections \(STIs\) and High Intensity Behavioral Counseling \(HIBC\) to Prevent STIs](#)
- MLN Matters® [MM10181 Revised: Replacement of Mammography HCPCS Codes, Waiver of Coinsurance and Deductible for Preventive and Other Services, and Addition of Anesthesia and Prolonged Preventive Services](#)

Human Immunodeficiency Virus Screening

Coverage

- Annually for beneficiaries between ages of 15 and 65 without regard to perceived risk
- Annually for beneficiaries younger than 15 and adults older than 65 who are at increased risk for HIV infection
- For pregnant beneficiaries, three times per pregnancy
 - When diagnosis of pregnancy known
 - During third trimester
 - At labor, if ordered by woman's clinician

Increased-Risk Factors

- Men who have had sex with men after 1975
- Men and women having unprotected sex with multiple partners
- Past or present injection drug users
- Men and women who exchange sex for money or drugs or who have sex partners who have

Increased-Risk Factors

- Individuals whose past or present sex partners were HIV-infected, bisexual or injection drug users
- Individuals being treated for STDs
- Individuals with history of blood transfusion between 1978 and 1985
- Individuals who request HIV test despite reporting no individual risk factors

Coverage

- Beneficiaries with any known diagnosis of HIV-related illness not eligible for screening
- Coverage provided for both standard and FDA-approved HIV rapid screening tests

Billing: Procedure Code (HCPCS/CPT)

Code	Description
G0432	Infectious agent antibody detection by enzyme immunoassay (EIA) technique, HIV-1 or HIV-2, screening
G0433	Infectious agent antibody detection by enzyme-linked immunosorbent assay (ELISA) technique, HIV-1 and/or HIV-2, screening
G0435	Infectious agent antibody detection by rapid antibody test, HIV-1 and/or HIV-2, screening
G0475	HIV antigen/antibody, combination assay, screening

Billing: Procedure Code (HCPCS/CPT)

Code	Description
80081	Obstetric panel (includes HIV testing)

ICD-10-CM Codes for HIV

- Publication 100-04, *Medicare Claims Processing Manual*, Chapter 18, Section 130
 - [ICD-10 Codes](#)

ICD-10 Codes Payable for G0432, G0433, G0435 or G0475

- For nonpregnant beneficiaries

Code	Position	Description
Z11.4	Primary	Encounter for screening for human immunodeficiency virus [HIV]
Z72.89	Secondary	Other problems related to lifestyle
Z72.51	Secondary	High risk heterosexual behavior
Z72.52	Secondary	High risk homosexual behavior
Z72.53	Secondary	High risk bisexual behavior

ICD-10 Codes Payable for G0432, G0433, G0435, G0475 or 80081

- For pregnant beneficiaries

Code	Position	Description
Z11.4	Primary	Encounter for screening for human immunodeficiency virus [HIV]
Z34.00	Secondary	Encounter for supervision of normal first pregnancy, unspecified trimester
Z34.01	Secondary	Encounter for supervision of normal first pregnancy, first trimester
Z34.02	Secondary	Encounter for supervision of normal first pregnancy, second trimester
Z34.03	Secondary	Encounter for supervision of normal first pregnancy, third trimester
Z34.80	Secondary	Encounter for supervision of other normal pregnancy, unspecified trimester

ICD-10 Codes Payable for G0432, G0433, G0435, G0475 or 80081

- Continued for pregnant beneficiaries

Code	Position	Description
Z34.81	Secondary	Encounter for supervision of other normal pregnancy, first trimester
Z34.82	Secondary	Encounter for supervision of other normal pregnancy, second trimester
Z34.83	Secondary	Encounter for supervision of other normal pregnancy, third trimester
Z34.90	Secondary	Encounter for supervision of normal pregnancy, unspecified, unspecified trimester
Z34.91	Secondary	Encounter for supervision of normal pregnancy, unspecified, first trimester
Z34.92	Secondary	Encounter for supervision of normal pregnancy, unspecified, second trimester
Z34.93	Secondary	Encounter for supervision of normal pregnancy, unspecified, third trimester

ICD-10 Codes Payable for G0432, G0433, G0435, G0475 or 80081

- Continued for pregnant beneficiaries

Code	Position	Description
O09.90	Secondary	Supervision of high risk pregnancy, unspecified, unspecified trimester
O09.91	Secondary	Supervision of high risk pregnancy, unspecified, first trimester
O09.92	Secondary	Supervision of high risk pregnancy, unspecified, second trimester
O09.93	Secondary	Supervision of high risk pregnancy, unspecified, third trimester

ABN

- Mandatory ABN
 - Performed more frequently than allowed
 - MLN Booklet® [Medicare Advance Written Notices of Noncoverage](#)

Frequency

- Maximum of once annually for beneficiaries at risk
- Maximum of three times per term of pregnancy beginning with the date of the first test

Cost-Sharing and Reimbursement

- Cost-sharing
 - Deductible waived
 - Coinsurance waived
- Reimbursement
 - Clinical Laboratory Fee Schedule
 - [Our Website](#) > Fee Schedule Look Up > National Fee Schedules > [Clinical Laboratory Fee Schedule](#)

Common Claim Denial Reasons

- Beneficiary received HIV screening within past year (not because of pregnancy)
- Beneficiary already received three HIV screenings within current pregnancy

References

- [CMS IOM Publication 100-04, Medicare Claims Processing Manual, Chapter 18, Section 130](#)
- MLN Matters® [MM9403: Screening for the Human Immunodeficiency Virus \(HIV\) Infection](#)
- MLN Matters® [MM6786: Screening for the Human Immunodeficiency Virus \(HIV\) Infection](#)

Hepatitis C Virus (HCV) Screening

HCV Screening

- Covered beneficiaries include
 - Adults at high risk for HCV infection
 - High risk includes a person with a current or past history of illicit injection drug use
 - Persons who have a history of receiving a blood transfusion prior to 1992

Coverage

- Repeat screening for high-risk persons is covered annually only for persons who have had continued illicit injection drug use since the prior negative screening test
- Adults who do not meet the high-risk definition as defined, but who were born from 1945 through 1965
 - A single, once-in-a-lifetime screening test is covered for these individuals

Eligible Provider Specialties

01 General practice	38 Geriatric medicine
08 Family practice	42 Certified nurse midwife
11 Internal medicine	50 Nurse practitioner
16 Obstetrics/gynecology	89 Certified clinical nurse specialist
37 Pediatric medicine	97 Physician assistant

Billing: Procedure Code (HCPCS)

Code	Description
G0472	Hepatitis C antibody screening for individual at high risk and other covered indication(s), will be used

Billing Diagnosis Codes: ICD-10-CM

- Initially determined to be at high-risk:

Code	Position	Description
Z72.89	Primary	Other problems related to life style

Billing Diagnosis Codes: ICD-10-CM

- Adults at high risk who have had continued illicit injection drug use since the prior negative screening may occur on an annual basis

Code	Position	Description
Z72.89	Primary	Other problems related to life style
F19.20	Secondary	Other psychoactive substance abuse, uncomplicated

Cost-Sharing

- Coinsurance
 - Does not apply
- Deductible
 - Does not apply



ENROLLMENT

CLAIMS & APPEALS

MEDICAL POLICY & REVIEW

EDUCATION

Overpayment

Provider Resources

WELCOME to

*NGSMedicare.com for
Part B providers and
suppliers*

Medicare **Part B providers** administer medically-necessary and preventive services for beneficiaries by diagnosing and treating medical conditions or preventing illness or detecting it at an early stage.

We're on Twitter!



@NGSMedicare

1 2 3 4 5



Log in to NGSConnex

Use the IVR System

Find an MU Course

Visit New Provider Center

Take a Web Tour PDF

Learn About MBI



Fee Schedule Lookup



LCD/Policy Search

LCD or article

Search

FEE SCHEDULE LOOKUP

the Time Units Tables


Fee Schedule Assistance

The [fee schedule assistance](#) page provides access to information about fee schedule definitions and acronyms.

- [Illinois Locality/Area and County Information](#)
- [Maine, Massachusetts, New Hampshire, Rhode Island, Vermont Locality/Area and County Information](#)
- [New York Locality/Area and County Information](#)

National Fee Schedules

Access the [CMS](#) website to view and download the following **national fee schedules**:

- [Ambulance Fee Schedule](#) EXT 2
- [Ambulatory Surgical Center \(ASC\) Payment](#) EXT 2
- [Clinical Laboratory Fee Schedule](#) EXT 2 
- [Medicare Part B Drug Average Sales Price](#) EXT 2
- [DMEPOS Fee Schedule](#) EXT 2

Medicare

Medicaid/CHIP

Medicare-Medicaid
Coordination

Private
Insurance

Innovation
Center

Regulations &
Guidance

Research, Statistics,
Data & Systems

Outreach &
Education

[Medicare Clinical Trial Policies](#)

[Medicare Coverage Determination Process](#)

[Medicare Dental Coverage](#)

[Medicare Coverage Related to Investigational Device
Exemption \(IDE\) Studies](#)

Demonstration Projects

[Medicare Demonstration Projects & Evaluation Reports](#)

E-Health

[E-Health General Information](#)

[E-Prescribing](#)

[Electronic Health Records](#)

[Personal Health Records](#)

Eligibility and Enrollment

Prevention

[Preventive Services](#)



Provider Enrollment & Certification

[Medicare Provider-Supplier Enrollment](#)

[Quality, Safety & Oversight Group - Emergency
Preparedness](#)

[Quality, Safety & Oversight - General Information](#)

[Quality, Safety & Oversight - Certification & Compliance](#)

[Quality, Safety & Oversight - Enforcement](#)

[Quality, Safety & Oversight- Guidance to Laws & Regulations](#)

[Quality, Safety & Oversight - Promising Practices Project](#)

[Quality, Safety & Education Division \(QSED\)](#)

[Nursing Home Quality Assurance & Performance
Improvement](#)

Preventive Services

[Provider Resources](#)

[Flu Shot](#)

[Roster Billing for Mass Immunizers](#)

[Flu Shot Coding](#)

[Institutional Providers: Additional
Information](#)

[Become a Centralized Biller](#)

[Announcements](#)

Preventive Services

- Find [coverage, coding, and billing information](#) for each service
- Get [flu shot payment rates](#) for the 2020-2021 season
- Visit the [Provider Resources](#) webpage
- Keep up to date with the latest [Announcements](#)

Medicare covers many preventive services at no cost to your patients. Encourage patients to take advantage of appropriate preventive services to prevent and find diseases early, when treatment works best.

Page Last Modified: 03/18/2021 10:24 AM

[Help with File Formats and Plug-Ins](#)



Centers for Medicare & Medicaid Services

Search CMS

Search

Medicare

Medicaid/CHIP

Medicare-Medicaid
CoordinationPrivate
InsuranceInnovation
CenterRegulations &
GuidanceResearch, Statistics,
Data & SystemsOutreach &
Education[Home](#) > [Medicare](#) > [Preventive Services](#) > [Provider Resources](#)**Preventive Services**

Provider Resources

[Flu Shot](#)[Roster Billing for Mass Immunizers](#)[Flu Shot Coding](#)[Institutional Providers: Additional
Information](#)[Become a Centralized Biller](#)[Announcements](#)**Provider Resources**[All Preventive Services](#)[Immunizations: Flu, Pneumococcal, & Hepatitis B](#)[Medicare Wellness Visits](#)[Medicare Diabetes Prevention Program \(MDPP\)](#)[Screening Pap Test and Pelvic Examination](#)[Mental Health](#)[Additional Resources](#)Visit the [Announcements](#) webpage for the latest updates.**All Preventive Services**

- [Coverage, coding & billing](#)
- [Preventive and Screening Services \(PDF\)](#): Medicare Claims Processing Manual, Chapter 18
- [Quick Reference Poster \(PDF\)](#) for your billing office: Learn how to use our resource
- [Information for your patients](#) on Medicare.gov

Immunizations: Flu, Pneumococcal, & Hepatitis B

NGSConnex

NGSConnex

[Connex User Guide](#) | [Contact Us](#)

[Home](#)

1 ACCOUNT





2 INDIVIDUAL

3 BUSINESS

4 FINISH

Before you begin

Have the following information available:

- NPI 
- PTAN 
- the last 5 digits of your TIN 
- Check number and check amount for an NGS Medicare check issued within the past 90 days (LSOs  only)

Create a User ID and Password for your account

User ID:

Password:

Re-Type Password:

[Cancel](#)

[Next](#)

What Is NGSConnex?

- NGSConnex
 - Need Internet access and email address
 - No cost
- Provides
 - Claim status
 - Beneficiary eligibility
 - Financial data
 - Provider demographics
 - Ability to view and download remittances
 - Initiate a redetermination/reopening request
 - My Inquiries

Eligibility

- Preventive services
 - Verify when a beneficiary has last received a preventive service and find out when next eligible to receive

Resources and References

CMS References

- [CMS IOM Publication 100-03, Medicare National Coverage Determinations \(NCDs\) Manual, Section 201.6](#)
- MLN Matters® [MM8871: Screening for Hepatitis C Virus \(HCV\) in Adults](#)

CMS Resources

- [Internet-Only Manuals \(IOMs\)](#)
- MLN Matters® [Articles](#)
- [CMS Preventive Services Web Page](#)
- MLN Learning Network®: [Medicare Preventive Services Chart](#)
- MLN Learning Network®: [Evaluation and Management Services Guide](#)

Thank You!

- Follow-up email
 - Attendees will be provided a Medicare University Course Code
- Questions?

We're on Twitter!



@NGSMedicare

[Follow us](#)