



Medicare Preventive Services

Screening Mammography, Pap Test and Pelvic Exam

9/14/2021





Today's Presenters

- Arlene Dunphy, CPC
 - Provider Outreach and Education Consultant
- Michele Poulos
 - Provider Outreach and Education Consultant





Disclaimer

National Government Services, Inc. has produced this material as an informational reference for providers furnishing services in our contract jurisdiction. National Government Services employees, agents, and staff make no representation, warranty, or guarantee that this compilation of Medicare information is error-free and will bear no responsibility or liability for the results or consequences of the use of this material. Although every reasonable effort has been made to assure the accuracy of the information within these pages at the time of publication, the Medicare Program is constantly changing, and it is the responsibility of each provider to remain abreast of the Medicare Program requirements. Any regulations, policies and/or guidelines cited in this publication are subject to change without further notice. Current Medicare regulations can be found on the CMS website.





No Recording

- Attendees/providers are never permitted to record (tape record or any other method) our educational events
 - This applies to our webinars, teleconferences, live events and any other type of National Government Services educational events





Objectives

 Promote awareness of the preventive benefits covered by Medicare and assist providers in correct billing and coding for the services





Agenda

- Screening Mammography
- Screening Pap Test
- Screening Pelvic Exam
- Resources





Screening Mammography





- Covered for female beneficiaries with no signs or symptoms of breast cancer
 - Age 40 and older: covered annually
 - At least 11 months since last covered screening
 - Age 35-39: one baseline screening covered
 - No screening mammogram coverage if under 35 years of age





- Screening mammogram components
 - Radiographic test (mammogram)
 - Interpretation and report
 - Communication of results to patient





- Physician referral/order is not required
 - If provided the physician should indicate
 - Type
 - ICD-10-CM code
 - Date of the last screening mammogram





Who Can Perform?

- Must be provided in FDA-certified radiological facility under Mammography Quality Standards Act (MQSA)
 - Qualified physician directly associated with facility where mammogram taken must interpret results
- Covered when provided by hospital, IDTF or physician (office or clinic)
 - Cannot be performed by portable X-ray supplier





FDA Certification

- Claims for mammography services will deny or reject if
 - no FDA certification number reported
 - facility is not certified for the type of mammogram
 - facility's certification is suspended or revoked
 - no FDA certification number on the MQSA file





HCPCS/CPT Codes

- CPT code 77063 Screening digital breast tomosynthesis, bilateral (list separately in addition to code for primary procedure)
 - Use 77063 as an add-on code to 77067 when tomosynthesis is used in addition to 2-D mammography
- CPT code 77067 Screening mammography, bilateral (2-view study of each breast), including computer-aided detection when performed





ICD-10-CM Codes

ICD-10-CM Code	Description
N61.21	Granulomatous mastitis, right breast
N61.22	Granulomatous mastitis, left breast
N61.23	Granulomatous mastitis, bilateral breast
N63.15	Unspecified lump in the right breast, overlapping quadrants
N63.25	Unspecified lump in the left breast, overlapping quadrants
Z12.31	Encounter for screening mammogram for malignant neoplasm of breast





Billing Tips

- Cannot bill add-on code without appropriate mammography code
- Submit rendering NPI as referring physician if self-referred
- In Item 32 (or electronic equivalent), enter sixdigit FDA-approved certification number





Billing Tips

- When screening turns into diagnostic mammography (same day, same beneficiary)
 - Add GG modifier to diagnostic code
 - Bill both screening and diagnostic codes on same claim





Advance Beneficiary Notice of Noncoverage

- Mandatory ABN
 - Performed more frequently than allowed
 - Not provided in FDA-certified radiological facility under MQSA
- Voluntary ABN
 - Out of scope of benefit
 - Examples: male patient, female patient under 35 years of age





Cost Sharing and Reimbursement

- Cost sharing
 - Deductible waived
 - Coinsurance waived
- Reimbursement
 - Lower of actual charge or MPFS amount
 - Nonparticipating providers
 - Nonparticipating reduction applies
 - Limiting charge provision applies





Common Claim Denial Reasons

- Male beneficiary
- Age requirement not met
- Covered screening mammogram received within past year
- Non FDA-certified mammography provider





References

- CMS IOM Publication 100-02, Medicare Benefit Policy Manual, Chapter 15, Section 280.3
- CMS IOM Publication 100-03, Medicare National Coverage Determinations Manual, Chapter 1, Part 4, Section 220.4
- CMS IOM Publication 100-04, Medicare Claims Processing Manual, Chapter 18, Section 20
- U.S. Food & Drug Administration: Mammography Quality Standards Act (MQSA)
- U.S. Food & Drug Administration: Searchable Mammography Facility Database
- CMS ICD-10





Local Coverage Determinations

- Breast Imaging Mammography/Breast Echography (Sonography)/Breast MRI/ Ductography
 - Local Coverage Determination <u>L33585</u>
 - Local Coverage Article <u>A52849</u>
- Reduction Mammoplasty
 - Local Coverage Determination <u>L35001</u>
 - Local Coverage Article <u>A56837</u>





Screening Pap Test





- Every 24 months for asymptomatic non high-risk female patients
- Every 12 months when criteria met
 - Evidence (medical history or other findings) of high risk or other specified personal history presenting hazards to health
 - Examination indicated cervical/vaginal cancer or other abnormality during any of preceding three years (woman of childbearing age)





Cervical/Vaginal Cancer High-Risk Factors

- Include the following
 - Early onset of sexual activity (aged 16 and younger)
 - Multiple sexual partners (five + in lifetime)
 - History of a sexually transmitted disease
 - Includes human papillomavirus (HPV) and/or human immunodeficiency virus (HIV) infection
 - Fewer than three negative pap tests or no pap test within previous seven years
 - DES (diethylstilbestrol) exposed daughters of women who took DES during pregnancy





Who Can Perform?

- Must be ordered and collected by DM, DO or other qualified NPP
 - Must be authorized under state law to perform
 - Qualified NPPs
 - Certified nurse midwife
 - Physician assistant
 - Nurse practitioner
 - Clinical nurse specialist





Billing: Pap Test Procedure Code

HCPCS	Description
G0123	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision
G0143	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with manual screening and rescreening by cytotechnologist under physician supervision
G0144	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system under physician supervision





Billing: Pap Test Procedure Code

HCPCS	Description
G0145	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision
G0147	Screening cytopathology smears, cervical or vaginal, performed by automated system under physician supervision
G0148	Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening
P3000	Screening Papanicolaou smear, cervical or vaginal, up to three smears, by technician under physician supervision





Billing: Physician Interpretation Procedure Code

HCPCS	Description
G0124	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, requiring interpretation by physician
G0141	Screening cytopathology smears, cervical or vaginal, performed by automated system, with manual rescreening, requiring interpretation by physician
P3001	Screening Papanicolaou smear, cervical or vaginal, up to three smears, requiring interpretation by physician





Billing: Sent to Laboratory Procedure Code

HCPCS	Description
Q0091	Screening Papanicolaou smear; obtaining, preparing and conveyance of cervical or vaginal smear to laboratory





ICD-10-CM Codes Low Risk

ICD-10-CM	Description
Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings
Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings
Z12.4	Encounter for screening for malignant neoplasm of cervix
Z12.72	Encounter for screening for malignant neoplasm of vagina
Z12.79	Encounter for screening for malignant neoplasm of other genitourinary organs
Z12.89	Encounter for screening for malignant neoplasm of other sites





ICD-10-CM Codes High Risk

ICD-10-CM	Description
Z72.51	High risk heterosexual behavior
Z72.52	High risk homosexual behavior
Z72.53	High risk bisexual behavior
Z77.29	Contact with and (suspected) exposure to other hazardous substances
Z77.9	Other contact with and (suspected) exposures hazardous to health
Z91.89	Other specified personal risk factors, not elsewhere classified
Z92.89	Personal history of other medical treatment





Billing Tips

- Covered E/M visit can be billed on same claim as Q0091
 - Report modifier 25 on E/M service
 - Clearly document in medical record medical necessity of separately identifiable E/M service





Screening for Cervical Cancer with Human Papillomavirus Testing





- All asymptomatic female patients age 30 to 65 years
 - Must be in conjunction with the pap test
- Once every five years





Billing: HPV Screening Procedure Code

HCPCS	Description
G0476	Infectious agent detection by nucleic acid (DNA or RNA); human papillomavirus (HPV), highrisk types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) for cervical cancer screening, must be performed in addition to pap test





Billing: HPV Screening ICD-10-CM Code

ICD-10-CM	Description
Z11.51 Primary	Encounter for Screening for HPV; and
Z01.411 Secondary OR	Encounter for gynecological exam (general) (routine) with abnormal findings OR
Z01.419 Secondary	Encounter gynecological exam without abnormal findings





Cost Sharing

- Cost sharing
 - Deductible waived
 - Coinsurance waived





ABN

- Mandatory ABN
 - Performed more frequently than allowed





Cost Sharing and Reimbursement

Reimbursement

- Paid under different fee schedules depending on service rendered
 - NGS Website > Resources> Tools & Calculators> Fee Schedule Lookup
 - MPFS: G0124, G0141, P3001, Q0091
 - Clinical Laboratory Fee Schedule
 - G0123, G0143, G0144, G0145, G0147, G0148, P3000, G0476
- Nonparticipating providers
 - Nonparticipating reduction applies
 - Limiting charge provision applies





Common Claim Denial Reasons

- Patient not at high risk and received covered screening within past two years
- High risk patient received covered screening within past year





Screening Pelvic Exam





Coverage

- Every 24 months for asymptomatic non high-risk female patients
- Every 12 months when one criteria met
 - Evidence (medical history or other findings) of high risk
 - Examination indicated cervical/vaginal cancer or other abnormality during any of preceding three years (woman of childbearing age)





Cervical/Vaginal Cancer High Risk Factors

- Include the following
 - Early onset of sexual activity (under age 16)
 - Multiple sexual partners (five+ in lifetime)
 - History of a sexually transmitted disease
 - Includes HPV and/or HIV infection
 - Fewer than three negative pap tests or no pap test within previous seven years
 - DES (diethylstilbestrol) exposed daughters of women who took DES during pregnancy





Screening Pelvic Exam (including clinical breast exam) Elements

- Should include at least seven of the following eleven elements
 - Inspection and palpation of breasts for masses or lumps, tenderness, symmetry, or nipple discharge
 - Digital rectal examination including sphincter tone, presence of hemorrhoids and rectal masses
 - External genitalia
 - General appearance, hair distribution, lesions





Screening Pelvic Exam Elements

- Urethral meatus
 - Size, location, lesions, prolapse
- Urethra
 - Masses, tenderness, scarring
- Bladder
 - Fullness, masses, tenderness
- Vagina
 - General appearance, estrogen effect, discharge, lesions, pelvic support, cystocele, rectocele





Screening Pelvic Exam Elements

- Cervix
 - General appearance, lesions, discharge
- Uterus
 - Size, contour, position, mobility, tenderness, consistency, descent, support
- Adnexa/parametria
 - Masses, tenderness, organomegaly, nodularity
- Anus and perineum





Who Can Perform?

- Physician referral not required
- Must be performed by DM, DO or other qualified NPP
 - Must be authorized under state law to perform
 - Qualified NPPs
 - Certified nurse midwife
 - Physician assistant
 - Nurse practitioner
 - Clinical nurse specialist





Billing: Procedure Code

HCPCS Code	Description
G0101	Cervical or vaginal cancer screening; pelvic and clinical breast examination





Additional Services

- Screening pelvic examination and screening pap test can be performed during same encounter
 - Both procedure codes entered as separate line items on claim





ICD-10-CM Codes – High Risk

ICD-10-CM	Description
Z72.51	High risk heterosexual behavior
Z72.52	High risk homosexual behavior
Z72.53	High risk bisexual behavior
Z77.29	Contact with and (suspected) exposure to other hazardous substances
Z77.9	Other contact with and (suspected) exposures hazardous to health
Z91.89	Other specified personal risk factors, not elsewhere classified
Z92.89	Personal history of other medical treatment





ICD-10-CM Codes – Low Risk

ICD-10-CM	Description
Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings
Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings
Z12.4	Encounter for screening for malignant neoplasm of cervix
Z12.72	Encounter for screening for malignant neoplasm of vagina
Z12.79	Encounter for screening for malignant neoplasm of other genitourinary organs
Z12.89	Encounter for screening for malignant neoplasm of other sites





ABN

- Mandatory ABN
 - Performed more frequently than allowed





Cost Sharing and Reimbursement

- Cost-sharing
 - Deductible waived
 - Coinsurance waived
- Reimbursement
 - MPFS
 - Our website > Resources> Tools & Calculators> Fee Schedules
 - Nonparticipating providers
 - Nonparticipating reduction applies
 - Limiting charge provision applies





Common Claim Denial Reasons

- Patient not at high risk and received covered screening within past two years
- High risk patient received covered screening within past year









- CMS IOM Publication 100-04, Medicare Claims
 Processing Manual, Chapter 18, Section 40
- CMS IOM Publication 100-03, Medicare National Coverage Determinations Manual, Chapter 1, Part 4, Section 210.2





- MLN Matters®
 - MM9434 Revised: Screening for Cervical Cancer with HPV Testing- National Coverage Determination (NCD) 210.2.1
 - MM10181 Revised: Replacement of Mammography
 HCPCS Codes, Waiver of Coinsurance and Deductible for
 Preventive and Other Services, and Addition of Anesthesia
 and Prolonged Preventive Services
- MLN® Booklet: <u>Screening Pap Tests & Pelvic</u> Exams





- MLN® Educational Tool: <u>Medicare Preventive</u>
 Services Quick Reference Chart ICN 006559
- NGS Preventive Services Guide Manual
- CMS Preventive Services Web Pages
- NGS Website > Education > Specialties > Preventive Services
 - NGS Preventive Services Guide





Thank You!

- Follow-up email
 - Attendees will be provided a Medicare University Course Code
- Questions?





