Hospice Documentation Supporting the Terminal Prognosis 2/10/2022














National Government Services Provider Outreach and Education Home Health and Hospice Team



Disclaimer

National Government Services, Inc. has produced this material as an informational reference for providers furnishing services in our contract jurisdiction. National Government Services employees, agents, and staff make no representation, warranty, or guarantee that this compilation of Medicare information is error-free and will bear no responsibility or liability for the results or consequences of the use of this material. Although every reasonable effort has been made to assure the accuracy of the information within these pages at the time of publication, the Medicare Program is constantly changing, and it is the responsibility of each provider to remain abreast of the Medicare Program requirements. Any regulations, policies and/or guidelines cited in this publication are subject to change without further notice. Current Medicare regulations can be found on the CMS website.





No Recording


- Attendees/providers are never permitted to record (tape record or any other method) our educational events
 - This applies to our webinars, teleconferences, live events and any other type of National Government Services educational events





Today's PowerPoint Presentation

- Once you are connected to the webinar, select Handouts
- Select the PowerPoint to download the presentation







Objectives

 To assist providers with a greater understanding of the federal Medicare hospice benefit regulations regarding medical record documentation that will support terminal prognosis





Agenda

- Medicare Hospice Coverage
- Physician Certification of Terminal Illness (PCTI)
- Hospice Nursing Documentation
- Use of Local Coverage Determinations (LCDs)





Eligibility Requirements Certification and Recertification





Medicare Hospice Coverage



CMS IOM Publication 100-02, Medicare Benefit Policy Manual, Chapter 9





Eligibility for the Medicare Hospice Benefit

- An individual (or his authorized representative) must elect hospice care to receive it
- If the individual (or authorized representative) elects to receive hospice care, he or she must file an election statement with a particular hospice
- Benefit is organized into two 90-day benefit periods followed by an unlimited number of 60-day periods as long as the individual meets the above criteria







The hospice

- Must obtain written certification of terminal illness for each of the periods
- Must obtain the written certification before it submits a claim
 - Certifications may be completed no more than 15 calendar days prior to the effective date of election
 - Recertifications may be completed no more than 15 calendar days prior to the start of the subsequent benefit period





- Must be provided by a physician no later than two calendar days after hospice care is initiated or by the end of the third day
- If the agency cannot obtain a written certification, it must obtain an oral certification within that same time frame

		JAN	JARY	2018			
	1	2	3	4	5		6
7	8	9 Care Initiated	10	Calendar	12	Cer	13 <mark>tifica</mark>
		Initiated	Calendar DAY ONE	DAY TWO			
14	15	16	17	18	19		20
21	22	23	24	25	26		27
28	29	30	31				





- The hospice admits a patient only on the recommendation of the medical director in consultation with, or input from, the patient's attending physician
- In reaching a decision to certify that the patient is terminally ill, the hospice medical director must consider at least the following information:
 - \checkmark Diagnosis of the terminal condition of the patient
 - ✓ Other health conditions, whether related or unrelated to the terminal condition
 - ✓ Current clinically relevant information supporting all diagnoses





- Documentation of Receipt of an "Oral Certification"
 - Statement that the patient is being admitted into hospice care (best practice suggestion)
 - Hospice diagnosis (best practice suggestion)
 - A statement that the patient is terminally ill with a prognosis of less than six months to live

Entry Authentication

- Hospice staff signs and dates their entry for documenting the oral certification
- The oral certification from a physician **does not** require a physician signature





A complete written certification must include

- The statement that the individual's medical prognosis is that the beneficiary's life expectancy is 6 months or less if the terminal illness runs its normal course
 - Guidance: A simple statement on the certification/recertification that states, the beneficiary has a medical prognosis of 6 months or less if the terminal illness runs its normal course





- Patient-specific clinical findings and other documentation supporting a life expectancy of 6 months or less
 - Guidance: The certification should give specific clinical findings, for example, signs, symptoms, laboratory testing, weights, anthropomorphic measurements, oral intake
- The signature(s) of the physician(s), the date signed, and the benefit period dates that the certification or recertification covers





The narrative

- **Must** reflect the patient's individual clinical circumstances and cannot contain check boxes or standard language used for all patients
- Must include an explanation of why the clinical findings of the face-to-face encounter support a life expectancy of six months or less (with the 3rd benefit period recertification and every subsequent recertification)





Example 1: Initial Certification of Terminal Illness

- I certify that John Doe is terminally ill with a life expectancy of six months or less if the terminal illness runs its normal course.
- Certification period dates: 1/1/2016 to 3/30/2016
- Brief narrative statement: (Review the individual's clinical circumstances and synthesize the medical information to provide clinical justification for admission to the hospice services)
- 78 year old male with a diagnosis of stage four lung cancer. Completed three rounds of chemotherapy, but cancer has metastasized to the liver and bone. Patient no longer wants to continue chemotherapy and states he wants comfort measures only. Increased dyspnea and pain over past two weeks. Is now oxygen dependent with 2LNC and requires morphine every six hours for bone pain and shortness of breath





Example narrative seen on medical review


Cased discussed at IDT. Care and meds approved. Patient died xx/xx/xxxx.







Tips to Strengthen the Hospice Physician Narrative Summary









Determining Terminal Status: Documentation Guidelines

- LCDs
- Functional Performance
 - PPS
 - FAST
 - NYHA
- Nutritional Status
 - Weights
 - BMI
 - MAC





- Cognitive measurement
 - Mini-Mental Exam
 - FAST
- Pain Measurement
 - Numeric
 - Faces
 - Non-verbal
- Rapid Decline
- Diagnostic Studies



22

Determining Terminal Status: Documentation Guidelines

Consider and document

- Patient's end stage disease trajectory
- Comorbid & related secondary conditions & impact on the terminal prognosis
- Any relevant laboratory and other test values
- Decline in performance status, amount of assistance required for ADLs
- Decline in nutritional status
- Any changes in status / condition over time









- The hospice plays a vital role from the early stages of the hospice admissions process until the final steps of a patient's end-of-life journey.
- This includes many of the day-to-day patient care activities, e.g., administering medications, providing ongoing wound care, or carefully documenting patient vital signs.







- Focus on patient deterioration and decline
- Must support PCTI that the patient has a life expectancy <six months
- Good objective data

ots decline d





Measurable Objectives

✓ Weights
✓ Mid arm circumference
✓ Abdominal girths
✓ Food and fluid intake
✓ Signs and symptoms
✓ Diagnostic studies
✓ Lab values

- Specific
- Objective
- Measureable
- Support the trajectory of decline related to the terminal diagnosis







Amount of assistance required-describe

- Independent
- Uses device
- Personal assistance-how much?

Completely dependent

Determine the level of assistance needed for each ADL and any increase in need over the past 3 – 6 months

Be descriptive!



Nutrition

- Malnutrition
- Diet
- BMI
- Dysphagia
- Muscle wasting
- MAC
- Albumin
- Appetite
- Hydration







When writing the WHAT

- dyspnea
- cachexic
- weight loss
- poor appetite
- fragile
- Weaker




Don't forget the HOW

as evidenced by...to fully describe what you see









- Vague documentation
 - Patient having dyspnea on exertion
- **Objective documentation**
 - Patient ambulates 10 feet between chair and bed before experiencing dyspnea and weakness; with one assist. One month ago, patient ambulated slowly from room to room with walker. Family reports that the patient is only able to sit up with family for 30 minutes before returning to bed.





- Vague documentation
 - Overall weakness
- **Objective documentation**
 - Patient is unable to independently hold head up this visit which lasted 45 minutes.
 - Patient is unable to dress or bathe self this week.
 - Patient was able to assist with dressing last month.
 - Patient fell last week; now needs to use walker.





33

- Vague documentation
 - Poor appetite; eating less
- **Objective documentation**
 - Appetite declined from eating 50% of a sandwich one month ago, now eating 2-3 bites at a meal. Family is concerned that the patient refuses his favorite meal.
 - Eating three to four bites of food with difficulty, last week was eating two full meals per day. Drinks two-three sips of thickened liquids and aspirates easily, last week was drinking two glasses per day.





Local Coverage Determination (LCD) Guidelines





LCD Guidelines

- Developed by the MACs
- Help providers determine when patients are appropriate for the Medicare Hospice benefit
- Use as guidelines for documenting terminal illness
- If a patient meets certain criteria, they are deemed eligible
- If a patient doesn't meet the LCD,
 - May still be eligible for the MHB,
 - But must document why (best done by a physician)





Determining Terminal Status

Remember:

- Physician's clinical judgment does not negate the fact that there must be a basis for a certification
- A hospice needs to be certain that the physician's clinical judgment can be supported by clinical information and other documentation that provide a basis for the certification of six months or less if the illness runs its normal course





LCD Guidelines

Claim denials related to NCDs and LCDs make up large percentage of denied claims

- Denials represent major expense to providers in terms of time and money
- To fix and prevent denials, providers must know how to access and correctly interpret Medicare NCDs, LCDs and policy articles





Determining Terminal Status

- Patient improves and/or stabilizes sufficiently over time while in hospice such that he/she no longer has a prognosis of six months or less from the most recent recertification evaluation or definitive interim evaluation, that patient should be considered for discharge from the Medicare hospice benefit
 - Such patients can be re-enrolled for a new benefit period when a decline in their clinical status is such that their life expectancy is again six months or less
- Patients in the terminal stage of their illness who originally qualify for the Medicare hospice benefit but stabilize or improve while receiving hospice care, yet have a reasonable expectation of continued decline for a life expectancy of less than six months, remain eligible for hospice care





Determining Terminal Status: Documentation Guidelines

- Documentation should "paint a picture" for the reviewer to clearly see why the patient is appropriate for hospice care and the level of care provided, i.e., routine home, continuous home, inpatient respite, or general inpatient. The records should include observations and data, not merely conclusions
- The amount and detail of documentation will differ in different situations
 - The patient with metastatic small cell CA may be demonstrated to be hospice eligible with less documentation than one with chronic lung disease. Patients with chronic lung disease, long term survival in hospice, or apparent stability can still be eligible for hospice benefits, but sufficient justification for a less than six-month prognosis should appear in the record







Documentation

Remember

 Good documentation = being paid for the good care you provide vs taking care of the patient for free

Yes, I charted that I charted what I previously charted. Wait, hold on. I have to chart that I told you about my charting.







Hospice Resources





To Ask a Question Using the Question Box

Na

	File View Help		
	Attendee List (2 Max 201)		
	Attendees (1) Staff (1)		
	👲 NAMES - ALPHABETICALLY 👻		
	🗶 Corena Bahr (Me)		
	Search 💽 🕤		
	- Audio		
	Audio Mode: O Use Telephone		
	± MUTED 49 0000000		
	Audio Setup		
	Talking: Suzie Smith		
	Questions		
	Questions Log		
	O is there a volume discount?		
	A: Yes! We will send you more info after the event.		
Type questions here	Yes		
	Send	Then click Send	
	Webinar Now Webinar ID: 731-938-951		-
	GoTo Webinar™	G188	1
tional Government Services		NGS	

CMS Hospice Resources

- CMS website, Hospice Center
- CMS website, Transmittals
- CMS website, Internet-Only Manuals
 - CMS IOM Publication 100-02, Medicare Benefit Policy Manual
 - Chapter 9 (Hospice Coverage)
 - CMS IOM Publication 100-04, Medicare Claims Processing Manual
 - Chapter 11 (Hospice Billing)
 - Code of Federal Regulations
 - Part 418 Hospice Care





National Government Services Website Hospice Resources

Accessing Webinar Materials/Presentations

- Available on <u>our website</u>
- Select your provider type and applicable state, click on enter.
- From the drop down menu, click on Education for manuals, Medicare Topics (formerly job aids) and Medicare University.
- From the drop down menu, click Events to view and register for upcoming webinars.

Materials from prior webinars are available on our website:

 Click on Events from the drop down, scroll towards the bottom of the page for past events.





NGS Local Coverage Determinations

- NGS Website
 - Medical Policies tab

ſ


LCD: Hospice – Determining Terminal Status (L33393)

National Government Services Local Coverage Determinations							
/elcome to Medical Policies. Below you will find the <u>LCDs</u> , related billing & coding articles and additional medical policy topics. When ntering criteria into the search box, the search results will be conducted within the LCDs and the Medical Policy Articles shown below. or additional Medical Policy Topics, refer to the bottom of the page.							
/iew Draft Policies View Future Effective LCDs View Future Effective Billing & Coding Articles National Coverage Determinations]							
terminal							
Local Coverage Determinations Medical Policy Articles							
ocal Coverage Determinations							
Billing and Coding Response to							

LCD	LCD #	Billing and Coding #	Response to Comments	Related <u>CPT/HCPCS</u> Codes
Hospice - Determining Terminal Status Related terms: Decline, life expectancy	L33393	A52830		







Subscribe to receive the latest Medicare



NGS Email Updates



National Government Services Website Contact information

Accessing contact information

- Available on <u>our website</u>
- Select resources, click on "Contact Us"

Options available for selection:

- NGSConnex
- Interactive Voice Response (IVR)
- Provider Contact Center (PCC)
- Mailing Addresses





Contact Us

Email: <u>J6.provider.training@anthem.com</u>

State/Region	Toll-Free Number	IVR	PCC Hours of Service
Alaska, Arizona, California, Hawaii, Idaho, Nevada, Oregon, Washington, American Samoa, Guam, Northern Mariana Island	866-590-6724 Hearing impaired callers with TTY equipment only may call our TTY Line at 888-897-7523	866-277-7287	Monday-Friday [*] 8:00 a.m4:00 p.m. PT [*] Closed for training on the 2 nd and 4 th Friday of the month 9:00 a.m1:00 p.m. PT
Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont	866-289-0423 Hearing impaired callers with TTY equipment only may call our TTY Line at 866-786-7155	866-275-7396	Monday-Friday [*] 8:00 a.m4:00 p.m. ET *Closed for training on the 2 nd and 4 th Friday of the month. 12:00-4:00 p.m. ET
Michigan, Minnesota, New York, New Jersey, Wisconsin, Puerto Rico, U.S. Virgin Islands	866-590-6728 Hearing impaired callers with TTY equipment only may call our TTY Line at 888-897-7523	866-275-3033	Monday-Friday* 8:00 a.m4:00 p.m. CT 9:00 a.m5:00 p.m. ET *Closed for training on the 2 nd and 4 th Friday of the month. 11:00 a.m3:00 p.m. CT 12:00-4:00 p.m. ET





Thank You!

- Follow-up email
 - Attendees will be provided a Medicare University Course Code
- Questions?





