

A CMS Medicare Administrative Contractor  
<https://www.NGSMedicare.com>

## Bibliography

1. Karimkhani C, Boyers LN, Dellavalle RP, Weinstock MA. It's time for "keratinocyte carcinoma" to replace the term "nonmelanoma skin cancer". *J Am Acad Dermatol.* 2015;72(1):186-187. doi:10.1016/j.jaad.2014.09.036
2. Rogers HW, Weinstock MA, Feldman SR, Coldiron BM. Incidence Estimate of Nonmelanoma Skin Cancer (Keratinocyte Carcinomas) in the U.S. Population, 2012. *JAMA Dermatol.* 2015;151(10):1081-1086. doi:10.1001/jamadermatol.2015.1187
3. American Cancer Society. Key statistics for basal and squamous cell skin cancers [Internet]. 2023 [cited 2023 October 31]. <https://www.cancer.org/cancer/basal-and-squamous-cell-skin-cancer/about/key-statistics.html#references>
4. NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) Basal Cell Skin Cancer Version 3.2024 — March 1, 2024
5. National Comprehensive Cancer Network. NCCN Clinical Practice Guidelines in Oncology: Squamous Cell Skin Cancer. Version 1.2024. Published November 9, 2023.
6. Wilmas KM, Garner WB, Ballo MT, McGovern SL, MacFarlane DF. The role of radiation therapy in the management of cutaneous malignancies: Part I: Diagnostic modalities and applications. *J Am Acad Dermatol.* 2021;85(3):539-548. doi: 0.1016/j.jaad.2021.05.058
7. Wilmas KM, Garner WB, Ballo MT, McGovern SL, MacFarlane DF. The role of radiation therapy in the management of cutaneous malignancies, Part II: When is radiation therapy indicated? *J Am Acad Dermatol.* 2021;85(3):551-562. doi:10.1016/j.jaad.2021.05.057
8. Bichakjian C, et al. Guidelines of care for the management of basal cell carcinoma. *J Am Acad Dermatol.* 2018;78(3):540-559. doi:10.1016/j.jaad.2017.10.006
9. Alam M, et al. Guidelines of care for the management of cutaneous squamous cell carcinoma. *J Am Acad Dermatol.* 2018;78(3):560-578. doi:10.1016/j.jaad.2017.10.007
10. Likhacheva A, Awan M, Barker CA, et al. Definitive and postoperative radiation therapy for basal and squamous cell cancers of the skin: Executive summary of an American Society for Radiation Oncology clinical practice guideline. *Practical Radiation Oncology.* 2020;10(1):8-20. doi:10.1016/j.prro.2019.10.014

11. Tom MC, Hepel JT, Patel R, Kamrava M, Badiyan SN, Cohen GN, Shah C. The American Brachytherapy Society consensus statement for electronic brachytherapy. *Brachytherapy*. 2019;18(3):292-298.
12. Nestor MS, Berman B, Goldberg D, et al. Consensus Guidelines on the Use of Superficial Radiation Therapy for Treating Nonmelanoma Skin Cancers and Keloids. *J Clin Aesthet Dermatol*. 2019;12(2):12-18.
13. McGregor S, Minni J, Herold D. Superficial Radiation Therapy for the Treatment of Nonmelanoma Skin Cancers. *J Clin Aesthet Dermatol*. 2015;8(12):12-14.
14. Yu L, Oh C, Shea CR. The Treatment of Non-Melanoma Skin Cancer with Image-Guided Superficial Radiation Therapy: An Analysis of 2917 Invasive and In Situ Keratinocytic Carcinoma Lesions. *Oncol Ther*. 2021;9(1):153-166. doi:10.1007/s40487-021-00138-4
15. Tran A, Moloney M, Kaczmarek P, et al., Analysis of image-guided superficial radiation therapy (IGSRT) on the treatment of early-stage non-melanoma skin cancer (NMSC) in the outpatient dermatology setting. *J Cancer Res Clin Oncol*. 2023;149(9):6283-6291. doi:10.1007/s00432-023-04597-2
16. Goyal U, Suszko J, Stea B. The feasibility of using ultrasound during follow-up for superficial non-melanoma skin cancers after electronic brachytherapy. *J Contemp Brachytherapy*. 2017;9(6):535-539. doi:10.5114/jcb.2017.72358
17. Ballester-Sánchez R, Pons-Llanas O, Llavador-Ros M et al. Depth determination of skin cancers treated with superficial brachytherapy: ultrasound vs. histopathology. *J Contemp Brachytherapy*. 2015;6:356-361.
18. McClure EM, Sedor G, Jin Y, Kattan MW. Image-guided superficial radiation therapy has superior 2-year recurrence probability to Mohs micrographic surgery. *Clin Transl Radiat Oncol*. 2023;43:100678. doi:10.1016/j.ctro.2023.100678
19. Yu L, Moloney M, Tran A, Zheng S, Rogers J. Local control comparison of early-stage non-melanoma skin Cancer (NMSC) treated by superficial radiotherapy (SRT) and external beam radiotherapy (XRT) with and without dermal image guidance: a meta-analysis. *Discov Oncol*. 2022;13(1):129. doi:10.1007/s12672-022-00593-z
20. Amin MB, Greene FL, Edge SB, et al. The Eighth Edition AJCC Cancer Staging Manual: Continuing to build a bridge from a population-based to a more "personalized" approach to cancer staging. *CA Cancer J Clin*. 2017;67(2):93-99. doi:10.3322/caac.21388
21. Patel R, Strimling R, Doggett S, et al. Comparison of electronic brachytherapy and Mohs micrographic surgery for the treatment of early-stage non-melanoma skin cancer: a matched pair cohort study. *J Contemp Brachytherapy*. 2017;9(4):338-344. doi:10.5114/jcb.2017.68480.
22. Doggett S, Willoughby M, Miller K, Mafong E. Long-term clinical outcomes of non-melanoma skin cancer patients treated with electronic brachytherapy. *J Contemp Brachytherapy*. 2023;15(1):9-14. doi:10.5114/jcb.2023.125580.
23. Doggett S, Willoughby M, Miller K, Mafong E. Long-term clinical outcomes of non-melanoma skin cancer patients treated with electronic brachytherapy. *J Contemp Brachytherapy*. 2023;15(1):9-14. doi:10.5114/jcb.2023.125580.

24. Ballester-Sánchez R, Pons-Llanas O, Candela-Juan C, et al. Two years results of electronic brachytherapy for basal cell carcinoma. *J Contemp Brachytherapy*. 2017;9(3):251-255. doi:10.5114/jcb.2017.68191.
25. Barysch MJ, Eggmann N, Beyeler M, Panizzon RG, Seifert B, Dummer R. Long-term recurrence rate of large and difficult to treat cutaneous squamous cell carcinomas after superficial radiotherapy. *Dermatology*. 2012;224(1):59-65. doi:10.1159/000337027.
26. Ballester-Sánchez R, Pons-Llanas O, Candela-Juan C, et al. Efficacy and safety of electronic brachytherapy for superficial and nodular basal cell carcinoma. *J Contemp Brachytherapy*. 2015;7(3):231-238. doi:10.5114/jcb.2015.52140.
27. Goyal U, Cheung MK, Suszko J, et al. Electronic brachytherapy for treatment of non-melanoma skin cancers: clinical results and toxicities. *J Contemp Brachytherapy*. 2021;13(5):497-503. doi:10.5114/jcb.2021.109753.
28. Cognetta AB, Howard BM, Heaton HP, Stoddard ER, Hong HG, Green WH. Superficial x-ray in the treatment of basal and squamous cell carcinomas: a viable option in select patients. *J Am Acad Dermatol*. 2012;67(6):1235-1241. doi:10.1016/j.jaad.2012.06.001.
29. Zagrodnik B, Kempf W, Seifert B, et al. Superficial radiotherapy for patients with basal cell carcinoma: recurrence rates, histologic subtypes, and expression of p53 and Bcl-2. *Cancer*. 2003;98(12):2708-2714. doi:10.1002/cncr.11798.
30. American College of Radiology. ACR-ASTRO practice parameter for radiation oncology. Accessed February 2, 2024. <https://www.acr.org/-/media/ACR/Files/Practice-Parameters/radonc.pdf>.
31. American College of Radiology. ACR-ASTRO practice parameter for image-guided radiation therapy (IGRT). Accessed February 4, 2022. <https://www.acr.org/-/media/ACR/Files/Practice-Parameters/IGRT-RO.pdf>.
32. American College of Radiology. ACR-ASTRO practice parameter for the performance of proton beam radiation therapy. Accessed February 4, 2022. <https://www.acr.org/-/media/ACR/Files/Practice-Parameters/Proton-Therapy-RO.pdf>.
33. Jaffray DA, Langen KM, Mageras G, et al. Safety considerations for IGRT: Executive summary. Accessed July 9, 2013. <http://download.journals.elsevierhealth.com/pdfs/journals/1879-8500/PIIS1879850013000076.pdf>.
34. Mosterd K, Krekels GA, Nieman FH, et al. Surgical excision versus Mohs' micrographic surgery for primary and recurrent basal-cell carcinoma of the face: a prospective randomised controlled trial with 5-years' follow-up. *Lancet Oncol*. 2008;9(12):1149-1156. doi:10.1016/S1470-2045(08)70260-2.
35. Paoli J, Daryoni S, Wennberg AM, et al. 5-year recurrence rates of Mohs micrographic surgery for aggressive and recurrent facial basal cell carcinoma. *Acta Derm Venereol*. 2011;91(6):689-693. doi:10.2340/00015555-1134.
36. Rowe DE, Carroll RJ, Day CL Jr. Long-term recurrence rates in previously untreated (primary) basal cell carcinoma: implications for patient follow-up. *J Dermatol Surg Oncol*. 1989;15(3):315-328. doi:10.1111/j.1524-4725.1989.tb03166.x.

37. Leibovitch I, Huilgol SC, Selva D, Hill D, Richards S, Paver R. Cutaneous squamous cell carcinoma treated with Mohs micrographic surgery in Australia I. Experience over 10 years. *J Am Acad Dermatol.* 2005;53(2):253-260. doi:10.1016/j.jaad.2005.02.059.
38. Leibovitch I, Huilgol SC, Selva D, Richards S, Paver R. Basal cell carcinoma treated with Mohs surgery in Australia II. Outcome at 5- year follow-up. *J Am Acad Dermatol.* 2005;53(3):452-457. doi:10.1016/j.jaad.2005.04.087.
39. Cognetta AB Jr, Wolfe CM, Goldberg DJ, Hong HG. Practice and Educational Gaps in Radiation Therapy in Dermatology. *Dermatol Clin.* 2016;34(3):319-333. doi:10.1016/j.det.2016.02.011.
40. Schulte KW, Lippold A, Auras C, et al. Soft, x-ray therapy for cutaneous basal cell and squamous cell carcinomas. *J Am Acad Dermatol.* 2005;53(6):993-1001. doi:10.1016/j.jaad.2005.07.045.
41. Gulati A, Grekin R, Neuhaus I, Saylor D, Yu S, Park A, Seth R, Knott P. Long-term Appearance-Related Outcomes of Facial Reconstruction After Skin Cancer Resection. *Facial Plast Aesthet Med.* 2023; 25(4): 344-349.
42. Ballester-Sánchez R, Pons-Llanas O, Candela-Juan C, et al. Electronic brachytherapy for superficial and nodular basal cell carcinoma: a report of two prospective pilot trials using different doses. *J Contemp Brachytherapy.* 2016;8(1):48-55. doi:10.5114/jcb.2016.57531.
43. Paravati AJ, Hawkins PG, Martin AN, et al. Clinical and cosmetic outcomes in patients treated with high-dose-rate electronic brachytherapy for nonmelanoma skin cancer. *Pract Radiat Oncol.* 2015;5(6):e659-e664. doi:10.1016/j.prro.2015.07.00243. Bhatnagar A, Patel R, Werschler WP, Ceilley RI, Strimling R. High-dose rate electronic brachytherapy: a nonsurgical treatment alternative for nonmelanoma skin cancer. *J Clin Aesthet Dermatol.* 2016;9(11):16-22.
44. Goyal U, Kim Y, Tiwari HA, Witte R, Stea B. A pilot study of ultrasound-guided electronic brachytherapy for skin cancer. *J Contemp Brachytherapy.* 2015;7(5):374-380. doi:10.5114/jcb.2015.55538.
45. Goyal U, Pan J, Cui H, et al. Does ultrasound measurement improve the accuracy of electronic brachytherapy in the treatment of superficial non-melanomatous skin cancer? *J Contemp Brachytherapy.* 2017;9(1):14-19.
46. Farberg AS, Heysek RV, Haber R, Agha R, Crawford KM, Xinge J, Stricker JB. Freedom from Recurrence across Age in Non-Melanoma Skin Cancer Treated with Image-Guided Superficial Radiation Therapy. *Geriatrics.* 2024; 9(5):114. <https://doi.org/10.3390/geriatrics9050114>